

REGU REGU EFFEC	ETING NAMELatitude E7240 LATORY MODELP22S LATORY TYPEP22S001 CTIVE DATEJuly 24, 2013 EMISSIONS CLASSB	Dell Inc. www.dell.com
TABLE	E OF CONTENTS	
Ι.	GLOBAL ENVIRONMENTAL INFORMATION	
II.	NFPA 99 CONFORMITY	
III.	POWER CORDS AND USER DOCUMENTATION	
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	
VI.	SYSTEM DIMENSION AND WEIGHT	
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	3
VIII.	PRODUCT MATERIALS INFORMATION	3
IX.	PACKAGING	4
Х.	BATTERIES	4
XI.	DESIGN FOR ENVIRONMENT	4
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	4
XIII.	HELPFUL LINKS	
XIV.	APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information	

# STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see <u>www.dell.com/REACH</u>.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to <u>regulatory\_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



Environmental (Voluntary Marks)					
Country	Approval	Compliance			
California Energy Commission	CEC	YES			
China Energy Label	CEL	YES			
China	CEC	YES			
China	CECP	YES			
Global	Energy star	Energy Star 6.0			
Varies by country - see link below	EPEAT	Gold			
South Korea	E-standby	YES			
Mexico	MEL	YES			
Brazil	INMETRO	YES			

# I. GLOBAL ENVIRONMENTAL INFORMATION

# II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100  $\mu$ A with ground wire intact (if a ground wire is provided) and 500  $\mu$ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to <u>regulatory\_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

# III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

# IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc. Department: Global Regulations and Standards MS: PS4-30 Round Rock, Texas 78682, USA <u>Regulatory\_Compliance@Dell.com</u>

# V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <a href="http://www.dell.com/import\_export\_compliance">www.dell.com/import\_export\_compliance</a> or send request to <a href="http://www.dell.com/import\_export\_compliance">WW\_Export\_Compliance@dell.com/import\_export\_compliance</a>

# VI. SYSTEM DIMENSION AND WEIGHT

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
310.5 mm	211 mm	22.2 mm	1.365 Kg (depending upon installed options)



# VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIII Appendix A)

### VIII. PRODUCT MATERIALS INFORMATION<sup>1</sup>

Information on Dell's material use is available <u>here</u>.

To review Dell's Restricted Material Guidance document click here.

- The case material is > LCD cover: CF+GF / Mg-Al ; LCD bezel: PC+ABS+TPU ; Logic upper: PC+ABS+15%Talc ; Logic lower: Mg-Al <
- This product contains0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

### Product is BFR/PVC Free ■Yes □ No

### Flame Retardants Used in Motherboard

Part	Flame Retardant	
Motherboard	1%~15% 9,10-Dihydro-9-oxa-10-phosphaphenanthrene 10-oxide	

### Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
PC+ABS+15%Talc	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate	N/A
PC+ABS+TPU	>TPU, PC-ABS-I-FR(40)<	FR(40)	Organo Phosphate	N/A
PF+CF+PUR+MF	>PF-CF,PUR,MF<	NA	N/A	N/A
PC+GF50%	>PC-GF50 FR(40)<	FR(40)	Organo Phosphate	N/A
CF+UD	>EP-CF70FR(40)<	FR(40)	Organo Phosphate	N/A
CF+GF	>EP+CF,GF FR(40)<	FR(40)	Organo Phosphate	N/A

### Mercury Information

Number of bulbs	Average per bulb
0	N/A

# DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules<sup>2</sup> on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%
Cadmium	0.01%

<sup>&</sup>lt;sup>1</sup> **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.

E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

### For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental\_information</u>
- Products MSDS (Material Safety Data Sheets):

Batteries:

http://www.dell.com/content/topics/topic.aspx/global/shared/about\_dell/values/regulatory\_compliance/en/d ell\_battery\_declaration\_january2011?c=us&l=en&s=corp&~ck=anavml

### IX. PACKAGING

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

Packaging Materials	Total Weight of each	% of Post-Consumer Recycled Content (PCR)			
Packaging Materials	Material type, (kg)	APJ region	DAO region	EMEA region	
Corrugated Fiberboard	0.42	100%	100%	100%	
EPE	0.002	>80%	>80%	>80%	
Molded paper pulp	0.18	100%	100%	100%	
HDPE (including thermoformed)	0.007	100%	100%	100%	

### X. BATTERIES

Below is a listing of batteries that could be present in the product:

<b>Battery Description – Batteries</b>	Battery Type	Battery Weight (kg)
3 cell / ATL 31 Wh	Lithium	0.245 (max)
4 cell / ATL 47 Wh	Lithium	0.300 (max)
CR-2032 coin cell	Lithium	0.0038

### XI. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit <u>www.dell.com/environmental\_information</u>

# XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing <u>recycling\_emea@dell.com</u> or visit <u>www.dell.com/recyclingworldwide</u> and select the relevant country.

# XIII. HELPFUL LINKS

- Environmental Policy <u>http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf</u>
   Environment Website
- www.dell.com/earth
- Corporate Sustainability Report
  <a href="http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true">http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true</a>
- ISO 14001 Certification <u>http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf</u>
   Materials Restricted for Use
- Materials Restricted for Ose http://www.dell.com/downloads/global/corporate/environ/restricted\_materials\_guid.pdf
- Chemical Use Policy <u>http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf</u>
   Client Energy Calculator
  - http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en



- Product Carbon Footprint
  <u>http://content.dell.com/us/en/corp/d/corp-comm/environment\_carbon\_footprint\_products</u>
- RoHS Compliance
  <u>www.dell.com/rohsinfo</u>
- REACH Compliance
  www.dell.com/REACH
- Recycling Information
  <u>www.dell.com/recycling</u>
- Supplier Responsibility
  <a href="http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx">http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx</a>

# XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.



ErP Lot	3 - Dell Inc. No	otebook Tier	r II Test & Repo	rt Template - ENV0379	
Category A	Those not meeting cat				
Category B Defined as notebooks with a discrete GPU					
	(a) a minimum two ph	vsical cores in th	e CPU: and		
Category C		system memory; and			
	(c) a discrete graphics	card (dGfx) meet	ting the G3 (with FB Dat	a Width > 128-bit), G4, G5, G6 or G'	7 classification
TEC Formulas	12			Modal Limits	Watts
TEC Formulas		Category	TECBASE (kWh)	Sleep WOL on	3.7
Mode Weightings	Notebooks			Sleep WOL Off	3
off	60%	Α	27	Off WOL On	1.7
[sleep	10%	В	36	Off WOL OFF	1
Tidle	30%	С	60.5	Lowest Power State	0.5
Marketing Model/Name				P22S / Latitude E7240	
Line of Business				Latitude	
Operating System & Versi	on			WIN8.1	
Is NB shipped with WoL enabled in "				No	
Is NB shipped with WoL enabled in				No	
••		~			
		Categor	y Selection	า	
Linkost anticipated				5	2)
WARE THE THE ME START AND	Market control strengt and	SALL TAR	1 N. 19 19 19 19 19 19 19 19 19 19 19 19 19	egory point 7.1.1 (as defined in Article	Survey w
Data collection is requir			orm (Category A, B, and information into each col	C) to be sold into the European Unio umn as applicable.	n (EU).
Processor Speed in GHz	2.1				
Number of Cores					
Total Installed Memory in GE	3 <b>16</b>	i i	892) 923		
Graphics	s Integra	ated	Sel	ect	Select
Category	Catego	ory A			
2004-100		_	ation Adde		
Total Installed Memory in GB	16				0
	1.000	22.	0		0
Memory Adde					0
'Additional Internal Storage ' means any and	a all internal storage devic		aisk arives (HDD), solid st /ond the first;	ate drives (SSD) and hybrid hard drives (	HHD), included within a comput
Additional Internal Storage?	No	-	Sel	ect	Select
Storage Adde	0.0				beteet
st Discrete Graphics Card?	Integra		Sel	ect	Select
1st Discrete Graphics Adde	-		Bei		bolot
and Discrete Graphics Card?	N//		Sel	ect	Select
2nd Discrete Graphics Adde					
			ponent that allows a com	puter to receive television signals;	
Discrete Television Turner Card?	No		Sel		Select
Discrete TV Turner Card Adde	r 0.0				
		Cest Dat	ta & Result	S	
As Tested: Lowest Power State	0.3				
As Tested: Poff(W) WOL Disabled	0.3	7	60		
As Tested: Poff(W) WOL Enabled	0.3	7			
As Tested: Psleep(W) WOL Disabled	0.9	2			
As Tested: Psleep(W) WOL Enabled	1.2				
As Tested: Pidle(W)	7.1				
Base TEC Limit (kWh)	27		C	and a second	0
TEC Adders Limit (kWh)			0.0		0.00
Base + Adders TEC Limit (kWh)	31.8	20	0.0	0	0.00
Results TEC	21.6		0.0		0.00



Power Supply Model #	Internal or External	Link to efficiency report
AA65NM121	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=5477379&appliance=EPS&nr=1
DA65NM111-00	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=5478051&appliance=EPS&nr=1
DA65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=8954085&appliance=EPS&nr=1
HA65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=6448362&appliance=EPS&nr=1
HA65NS5-00	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=5470487&appliance=EPS&nr=1
HK65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=8095191&appliance=EPS&nr=1
LA65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=6474043&appliance=EPS&nr=1
LA65NS2	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=5485275&appliance=EPS&nr=1
LA90PM111	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details- details&ref=5485277&appliance=EPS&nr=1

\* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

### Energy Consumption\*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

\* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental\_information

# Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

### Computers Category A:

Service Level	Sound Power (L <sub>WAd</sub> , bels) (1 bel=10 decibels, re 10 <sup>-12</sup> Watts)	Sound Pressure Bystander Position (L <sub>pAm</sub> , decibels) (re 2x10 <sup>-5</sup> Pa)
Hard Drive Accessing	2.7	15.6
Optical Drive Accessing		
Idle	2.7	15.5